

ATH M®74Z PLUS

Product Images



Short Description

The ATH M74Z Plus is the modern tire changer for maximum efficiency. The new A74 assist arm with additional bead-breaking function makes work easier. The integrated camera in the assist arm displays the wheel underside directly on the control panel for full control. The height-adjustable center

hole clamping with flange and quick-lock nut ensures precise mounting. Perfect for workshops that value speed and convenience.

Description

- Rear swivel with pneumatic mounting head clamping including automatic vertical and horizontal rim removal
- Control via ergonomically arranged foot pedals
- Including pneumatic controlled auxiliary assembly arm for effortless and damage-free assembly of low-profile, UHP and run-flat tires
- Height-adjustable center hole mounting with use of a clamping flange and quick-release nut
- Lateral extractor with double-acting aluminium cylinder and anti-jamming system
- Including wheel lift, quick release tool, pneumatic assembly tool and WDK kit

Additional Information

Zakres mocowania	12 - 26 "
Szerokość felgi	4 - 13 "
Max. średnica koła	1.050 mm
Dopływ sprężonego powietrza	10 bar
Zakres pracy odbijacza	83 - 350 mm
Siła odbijacza	2.500 kg
Prędkości montażowe	6 and 12 U/min
Moc napędowa	0,75 / 0,90 kW
Napięcie pracy	3x 400V / C16A
Poziom hałasu	70 dB(A)

